

^{By} livelyworks

Installation Guide

Product Version: 3.5.0

Table of Contents

Package Contents & Setup	3
Setup Database	3
Configure & Setup files	4
Deployment	6
Thank You	7

Package Contents & Setup

Files & Directories in Download Package

In the downloaded Zip file, you will find below files & folders:

- Source a folder containing all the required files you need to deploy on to the server.
- cred.txt a file containing admin email & password which you can change later.
- schema-data.sql a file containing database structure & initial data to get started.
- Setup-Guide.pdf an Instruction manual for setup your site.
- Installation-Guide.pdf an Instruction manual for installation (This Document).
- Technical-Guide.pdf Technical information may help for further customizations.

Now you need to copy all the source folder files to your web server where you want it to access / host.

Please note your public folder will be your document root.

Setup Database

Follow the below steps to setup database.

- Create a database using your choice of tool for the demonstration purposes we have used phymyadmin if you are doing it on shared hosting database creation method may vary you may also need to create & assign user to it.
- Once database is created, say sample_database.
- Then you need to click on sample_database database from left sidebar
- go to the phpMyAdmin and click on SQL tab.
- Open schema-data.sql in any text editor
- Copy the content of the file & paste it into selected SQL tab OR import it.
 IMPORTANT: SQL File is big as it contains the static city data, you may need to increase upload size/memory limit for phpmyadmin etc. to import it.

Or you can import this file.

←	🗊 Server: lo	calhost:3306	» 🍵 Database:	sample_datab	ase			
k	Structure	SQL	Search	Query	📑 Export	🖶 Import	🥜 Operations	Privileges
	Run SQL q	uery/querie	s on database	sample_datab	ase: 😡			
	1936 (5, 1937 (6, 1938 (7, 1939 (8, 1940 (9, Clear	'16eb12bc-0 '7cf5099f-7 'cc972d6f-7 yalue":"supp '2de52cb0-d	18b-437f-a54b- 116-4723-8c70- 7ed-437f-ab1c- ort_ticket.mak bc3-4a35-b570- d6d-4d0a-8e88-	6461da82bfaf' 1952c25f198d' 37be42d4ef5b' e.request","ty d946383e576a'	CURRENT_TIMES CURRENT_TIMES CURRENT_TIMES CURRENT_TIMES CURRENT_TIMES CURRENT_TIMES	TAMP, CURRENT TAMP, CURRENT TAMP, CURRENT totes":""}', 7, TAMP, CURRENT	TIMESTAMP, 'Regist TIMESTAMP, 'Contac TIMESTAMP, 'Blog', TIMESTAMP, 'New Su 1, 1), TIMESTAMP, 'New Su 1, 1), TIMESTAMP, 'FAQ', TIMESTAMP, 'Articl	<pre>t', 3, 1, NULL, 3, 1, NULL, '{"v pport Ticket', 3, 3, 1, NULL, '{"va</pre>
I	[Delimiter ;] 🖉	Show this query	here again	Retain query l	box 📄 Rollbad	ck when finished 🛛 🖉	Enable foreign k

and click on go button, to execute the queries.

• If everything goes fine, there should not be any errors & your database setup is now completed.

Configure & Setup files

Now go to Source folder & open <u>env</u> file in to text/code editor.

- Default APP_KEY provided works fine but if you want to change you can do it using Laravel Artisan command.
- Now you need assign values for Database Configuration values so the application can connect to database.

	APP_NAME="project-name"
2	#·Use·'production' for live uses
3	APP_ENV=local
4	#·Set·to·true·for·debugging
5	APP_DEBUG=false
6	# application key
	APP_KEY=base64:ZeeE0XG3/jMo0/C6m3e8fl2GkndivS7pAsQUMupqxuw=
8	#·Database·Host
9	DB_H0ST=localhost
10	#·Database·Name
11	DB_DATABASE=project_database
12	# Database Username
13	DB_USERNAME=root
14	# Database Password
15	DB_PASSWORD=
16	# Mail Configuration
17	MAIL_DRIVER=mail
18	MAIL_HOST=smtp.mailtrap.io
19	MAIL_PORT=2525
20	MAIL_USERNAME=null

- 21 MAIL_PASSWORD=null
- 22 MAIL_ENCRYPTION=null
 - DB_HOST your database host in most cases its *localhost*
 - DB_DATABASE your database *name*.
 - DB_USERNAME your database *username*.
 - DB_PASSWORD your database *password*.

Mail configuration can be done using the settings under this head. More information <u>https://laravel.com/docs/10.x/mail</u>

Deployment

If everything goes fine you are now ready to deploy it now you need to copy all the source folder files to your web server. where you want it to access / host.

If you done above steps carefully and for example If you placed this in root of your domain, and configured your server to point webroot to public folder then you should access following page by pointing your browsers address bar to *http://yourdomain.com* or you need to access it like *http://yourdomain.com/public*

Important Note:

If some problem occurs, please change APP_DEBUG mode to true in .env file so you can see the errors.

Thank You

This information would help you to customize understand application better

Once again thank you so much for purchasing this product. I would be glad to help you if you have any questions relating to this product. No guarantees, but I will do my best to assist.

We have small team of Designer & Developers, here are some of the Great tools and technologies we use day2day for the development: HTML5, CSS3, jQuery, PHP, Laravel, AngularJS etc.

we also build iOS & Android Application.

If you need any Customization Work / Support on this Product or having any project for us. Please feel free to email us at <u>contact@livelyworks.net</u>

livelyworks.net | <u>contact@livelyworks.net</u> | @livelyworks | https://github.com/livelyworks